

Data for Experiment 1

- **Experiment 1_complete data.txt**
 - All information collected throughout the experiment (Experimental Software: E-Prime)
- **Experiment 1_reduced.txt**
 - Reduced data set, irrelevant columns were filtered out
 - Column coding see below
- **Experiment 1_aggregated for analysis_no filter.sav**
 - Aggregated data for data analysis (useable for SPSS syntax) - Column coding see below
- **Experiment 1_aggregated for analysis_filter.sav**
 - Aggregated data after applying cut-off criteria (for more details, see manuscript) for data analysis (useable for SPSS syntax) – Column coding see below

Column coding:

- **Experiment 1_reduced**
 - **Subject:** One number per participant
 - **Age:** Age per participant
 - **Handedness:** right or left
 - **Sex:** female or male
 - **Running:** Signifies the block in which the stimulus was presented: Either practice block (“Prac”), motion block (“RM1”) or baseline block at the beginning (“RMOneA”) or the end (“RMOneB”) of the experiment
 - **V1:** Signifies the location of the first vibration – in baseline and practice trials, only one vibration / stimulus was presented, therefore this is empty.
 - **Coding of tactile locations:** location A (“53”), location B (“52”), location C (“51”), location D (“50”), location E (“49”)
 - **V2:** Signifies the location of the second vibration – in baseline and practice trials, only one vibration / stimulus was presented, therefore this is empty. – coding of locations identical as under **V1**.
 - **VC:** Signifies the location of the final / to-be-judged vibration –coding of locations identical as under **V1**.
 - **TacDir:** direction of motion of the tactile stimulus, either left-to-right (“rechts”) or right-to-left (“links”) – only in the motion block, otherwise empty
 - **VisDir:** direction of motion of the visual stimulus, see **TacDir**
 - **Congruency:** Congruent (“con”) or incongruent (“incon”), only in the motion trials, otherwise empty
 - **RespModality:** Signifies the stimulus which had to be estimated, either visual (“vis”) or tactile (“tac”) stimulus
 - **TrackTimeFinal:** Response time in ms
 - **YTrackedFinal:** Indicated location along the Y-axis in Pixel – higher values indicate a location lower on the screen
 - **XTrackedFinal:** Indicated location along the X-axis in Pixel – higher values indicate a location further to the right on the screen
 - **PosTarget:** Actual final X-axis location of the visual stimulus in Pixel
 - **Diff:** Difference score of actual (**PosTarget**) and estimated (**XTrackedFinal**) location in Pixel – only for visual trials – positive values indicate a localization further to the right, and negative values indicate a localization closer to the left.

- **Experiment 1_aggregated for analysis** (for both, ...filter and ...no_filter)
 - **Subject:** see above
 - **t_links_con_51:** estimation of tactile motion stimulus ("t"), target direction right-to-left ("links"), directional congruency as congruent ("con"), location C estimated ("51"), value signifies the variable **XTrackedFinal**
 - **t_links_con_52:** estimation of tactile motion stimulus ("t"), target direction right-to-left ("links"), directional congruency as congruent ("con"), location B estimated ("52"), value signifies the variable **XTrackedFinal**
 - **t_links_incon_51:** estimation of tactile motion stimulus ("t"), target direction right-to-left ("links"), directional congruency as incongruent ("incon"), location C estimated ("51"), value signifies the variable **XTrackedFinal**
 - **t_links_incon_52:** estimation of tactile motion stimulus ("t"), target direction right-to-left ("links"), directional congruency as incongruent ("incon"), location B estimated ("52"), value signifies the variable **XTrackedFinal**
 - **t_rechts_con_51:** estimation of tactile motion stimulus ("t"), target direction left-to-right ("rechts"), directional congruency as congruent ("con"), location C estimated ("51"), value signifies the variable **XTrackedFinal**
 - **t_rechts_con_50:** estimation of tactile motion stimulus ("t"), target direction left-to-right ("rechts"), directional congruency as congruent ("con"), location D estimated ("50"), value signifies the variable **XTrackedFinal**
 - **t_rechts_incon_51:** estimation of tactile motion stimulus ("t"), target direction left-to-right ("rechts"), directional congruency as incongruent ("incon"), location C estimated ("51"), value signifies the variable **XTrackedFinal**
 - **t_rechts_incon_50:** estimation of tactile motion stimulus ("t"), target direction left-to-right ("rechts"), directional congruency as incongruent ("incon"), location D estimated ("50"), value signifies the variable **XTrackedFinal**
 - **t_@50:** estimation of tactile baseline stimulus, location D ("50"), value signifies the variable **XTrackedFinal**
 - **t_@51:** estimation of tactile baseline stimulus, location C ("51"), value signifies the variable **XTrackedFinal**
 - **t_@52:** estimation of tactile baseline stimulus, location B ("52"), value signifies the variable **XTrackedFinal**
 - **v_links_con:** estimation of visual motion stimulus ("v"), target direction right-to-left ("links"), directional congruency as congruent ("con"), value signifies the variable **Diff**
 - **v_links_incon:** estimation of visual motion stimulus ("v"), target direction right-to-left ("links"), directional congruency as incongruent ("incon"), value signifies the variable **Diff**
 - **v_rechts_con:** estimation of visual motion stimulus ("v"), target direction left-to-right ("rechts"), directional congruency as congruent ("con"), value signifies the variable **Diff**
 - **v_rechts_incon:** estimation of visual motion stimulus ("v"), target direction left-to-right ("rechts"), directional congruency as incongruent ("incon"), value signifies the variable **Diff**
 - **v_@50:** estimation of visual baseline stimulus ("v"), while the location of the tactile stimulus was location D ("50"), value signifies the variable **Diff**
 - **v_@51:** estimation of visual baseline stimulus ("v"), while the location of the tactile stimulus was location C ("51"), value signifies the variable **Diff**
 - **v_@52:** estimation of visual baseline stimulus ("v"), while the location of the tactile stimulus was location B ("52"), value signifies the variable **Diff**

Data for Experiment 2

- **Experiment 2_complete data.txt**
 - All information collected throughout the experiment (Experimental Software: E-Prime)
- **Experiment 2_reduced.txt**
 - Reduced data set, irrelevant columns were filtered out
 - Column coding see below
- **Experiment 2_aggregated for analysis_no filter.sav**
 - Aggregated data for data analysis (useable for SPSS syntax) - Column coding see below
- **Experiment 2_aggregated for analysis_filter.sav**
 - Aggregated data after applying cut-off criteria (for more details, see manuscript) for data analysis (useable for SPSS syntax) – Column coding see below
- **Experiment 2_aggregated for analysis_central_filter.sav**
 - Aggregated data after applying cut-off criteria (for more details, see manuscript) for data analysis (useable for SPSS syntax), only central trials – Column coding see below

Column coding:

- **Experiment 2_reduced**
 - Most columns as in **Experiment 1_reduced**
 - **XTrackedFinal**: as in Experiment 1 signifies the indicated location along the X-axis in Pixel – higher values indicate a location further to the right on the touchscreen – please note: In all values, the x-axis length of the main computer screen (1920 Pixel) has to be subtracted to have the indicated X-axis value on the touchscreen.
 - **PosTargetX**: actual final X-axis location of the visual stimulus in Pixel: Please note: Overall, only 5 distinct locations were used in this second experiment, only three as final locations (for more details, see the manuscript).
 - **Coding of visual locations**: location A (“110”), location B (“475”), location C (“840”), location D (“1205”), location E (“1570”)
 - **PosDiffX**: Difference score of actual (**PosTargetX**) and estimated (**XTrackedFinal**-1920) location in Pixel – only for visual trials
 - For baseline and practice trials, positive values indicate a localization further to the right, and negative values indicate a localization closer to the left
 - For motion trials: positive values indicate a forward displacement in motion direction, negative values indicate a backward displacement against motion direction.
- **Experiment 2_aggregated for analysis (for ...filter and ...no filter)**
 - **Subject**: see above
 - For all columns except the “Subject” column, value signifies the variable **XTrackedFinal**
 - **t_links_con_central** to **v_rechts_incon_outer** are composite scores of motion trials
 - target modality: estimation of tactile (“t”) or visual (“v”) motion stimulus
 - target direction: right-to-left (“links”) or left-to-right (“rechts”)
 - directional congruency: congruent (“con”) or incongruent (“incon”)
 - final location: “central” location (location C) or “outer” location (location B for right-to-left; location D for left-to-right)

- estimation of tactile motion stimulus (“t”), target direction right-to-left (“links”), directional congruency as congruent (“con”), location C estimated (“51”)
 - **t_@50_1205** to **t_@52_840** are composite scores of tactile target (“t”) baseline trials
 - location of estimated tactile target: either location B (“@52”), location C (“@51”), or location D (“@50”)
 - final location of irrelevant visual stimulus: either location B (“1205”), location C (“840”), or location D (“475”)
 - **v_@1205_50** to **v_@840_52** are composite scores of visual target (“v”) baseline trials
 - location of estimated visual target: either location B (“@475”), location C (“@840”), or location D (“@1205”)
 - final location of irrelevant tactile stimulus: either location B (“52”), location C (“51”), or location D (“50”)
- **Experiment 2_aggregated for analysis_central_filter**
 - In this data set, only trials in which both, the response relevant target and response irrelevant stimulus ended on location c (the central location), are included. Therefore, the column coding is identical as in the data sets Experiment 2_aggregated for analysis_filter and ...no_filter, yet fewer columns exist.
 - Only central trials are used, therefore the factor target direction is dismissed for motion trials
 - Only two baseline columns exist, that is the estimation of either the visual or tactile stimulus when both stimuli are presented at the central location (either v_@840_51 or t_@51_840)