

Table 1. Raw scores, theta based, and calculated T scores of the population sample and patients on BSI, 4DSQ, and OQ-45.

		Raw scores					q-based T scores					Calculated T scores					
		M	Med	SD	skew.	kurt.	M	Med	SD	skew.	kurt.	M	Med	SD	skew.	kurt.	
		Population	GSI	0.38	0.28	0.34	2.00	5.97	49.81	49.95	9.17	0.16	-0.07	50.37	50.38	9.26	0.24
BSI	Population	DEP	0.39	0.17	0.48	2.20	6.75	49.94	49.35	8.48	0.65	0.05	51.09	48.05	8.74	0.76	0.32
		ANX	0.34	0.17	0.43	2.02	5.23	49.97	48.50	8.17	0.66	-0.34	52.04	50.02	7.94	0.58	-0.41
		SOM	0.33	0.14	0.42	2.30	7.50	49.98	48.03	7.96	0.75	0.19	51.67	49.17	8.22	0.77	0.33
		GSI	1.21	1.09	0.73	0.67	-0.02	66.71	66.62	11.36	0.02	0.25	66.57	66.36	11.49	-0.02	0.26
	Patients	DEP	1.57	1.50	1.03	0.37	-0.80	67.94	67.95	12.10	-0.01	-0.41	67.54	68.33	12.42	-0.11	-0.41
		ANX	1.35	1.17	0.96	0.63	-0.41	66.14	66.18	9.94	0.11	-0.41	65.46	65.77	10.55	-0.11	-0.24
		SOM	0.95	0.71	0.83	1.06	0.67	62.17	61.83	11.06	0.32	-0.23	61.60	60.98	11.41	0.28	-0.24
		Raw scores	M	Med	SD	skew.	kurt.	M	Med	SD	skew.	kurt.	M	Med	SD	skew.	kurt.
4DSQ	Population	DIST	5.52	3	6.40	1.72	2.87	50.00	49.63	9.20	0.50	-0.11	50.03	49.07	9.20	0.53	-0.01
		DEP	0.7	0	1.92	3.69	14.71	50.00	46.57	7.05	1.88	2.44	50.17	46.77	6.97	1.87	2.38
		ANX	1.05	0	2.53	4.14	21.64	50.00	45.48	7.46	1.56	1.77	50.13	45.58	7.42	1.52	1.69
		SOM	4.92	4	4.91	1.58	3.07	50.00	49.68	8.87	0.42	-0.10	50.11	50.79	8.87	0.42	-0.05
	Patients	DIST	19.02	20	8.32	-0.24	-0.93	66.90	66.77	8.32	0.12	-0.38	66.19	66.43	8.55	-0.16	-0.32
		DEP	3.45	2	3.66	1.06	0.05	62.77	61.97	6.45	0.65	-0.24	60.39	61.66	9.52	-0.16	-0.92
		ANX	5.21	4	5.14	1.06	0.43	63.38	63.16	7.28	0.37	-0.58	61.28	63.12	9.59	-0.16	-0.67
		SOM	12.77	11	7.00	0.46	-0.51	63.82	62.90	8.20	0.35	-0.04	62.36	60.96	8.95	0.14	-0.12
OQ-45	Population	Raw scores	M	Med	SD	skew.	kurt.	M	Med	SD	skew.	kurt.	M	Med	SD	skew.	kurt.
		OQ-TOT	40.83	39	17.80	0.82	1.15	49.62	49.49	9.03	0.26	0.75	50.43	50.25	9.41	0.32	0.42
		SD	23.76	22	11.43	0.83	1.09	49.76	49.58	8.98	0.30	0.78	50.84	50.13	9.50	0.39	0.37
		IR	8.96	8	4.97	0.81	0.93	49.83	49.69	8.68	0.31	-0.02	51.78	50.69	8.69	0.38	0.03
		SR	8.12	8	3.88	0.64	0.71	49.81	50.44	7.94	0.10	-0.22	50.46	50.39	8.39	0.49	0.42
	Patients	ASD	14.37	14	6.82	0.59	0.45	49.84	49.73	8.60	0.11	0.38	51.67	51.81	9.52	0.26	0.21
		OQ_TOT	78.23	79	24.00	0.00	-0.24	68.52	68.89	10.96	-0.10	0.17	68.34	68.95	10.85	-0.17	0.07
		SD	48.24	49	15.51	-0.06	-0.28	69.63	69.88	11.35	-0.07	0.14	69.45	70.09	11.33	-0.13	0.14
		IR	16.54	16.5	6.79	0.11	-0.35	64.31	64.93	10.46	-0.12	-0.15	63.95	64.62	10.35	-0.22	-0.19
		SR	13.35	13	5.42	0.20	-0.27	61.58	62.13	11.77	-0.05	-0.27	61.42	61.05	11.12	0.04	-0.40
		ASD	25.62	26	8.86	0.02	-0.29	66.81	66.91	11.37	0.01	0.17	66.43	67.00	11.40	-0.03	0.09

Note under Table 1.

BSI: GSI = Global Severity Index, DEP = Depression, ANX=Anxiety, SOM=Somatic complaints; 4DSQ: DIST = Distress, DEP = Depression, ANX = Anxiety, OM=Somatization; OQ: TOT = OQ45 Total score; SD = Symptomatic Distress; IR = Interpersonal Relationships; SR = Social Role; ASD = Anxiety and Social Distress; M = mean; Med = Median; SD = standard deviation; skew. = skewness; kurt.. = kurtosis